

GERMAN MATERIAL MADE QUALITY YOU CAN TRUST.



For medical supply & medical gas installation.

SINCE 1995

INFO@IHMSGLOBAL.COM SALES@IHMSGLOBAL.COM

BRIDGE CATALOGUE











EXCLUSIVE DESIGN FOR IHMS. FZC
ASSEMPLED BY IHMS.FZC , UAE





CEILING BRIDGE

TECHNICAL FEATURES

- Heavy duty smooth edge extruded Aluminum Pendant arms and pendant box, Designed,
 and made in Germany exclusive for IHMS .FZC .
- Coated by a special German Anti-Bacterial "IGP DuraCare" Swaziland painting.
- Supplied and installed with Greggersen Gas Outlet- German origin, for any requested type (DIN, BS, AFNOR) Comply DIN EN7396, HTM-02 with ISO color code.
- Supplied and installed with any requested type BS, German, EU, USA or any international Electrical Socket by using "Shneider" or Legrand sockets.
- Divided in Four segregated compartments (two for electrical and two for medical gases equipment)
 with optional possibility to install Gases and electrical in the Back and Front of the Bridge
- Medical gas compartment segregated up to supply connecting point with access on back side thanks to clipped covers to ease installation and maintenance.
- · Piping and pre-wiring comply EU Standard near the services and installation side.
- · Direct low and extra low voltage connected by clipping.
- Automatic system for covers everything inside.
- · Electrical devices secured in the back of the trucking, which allow an easy opening of the cover.
- Enables biomedical devices fixation for connecting equipment, mobile console shelf, mobile console shelf load bearing ability drawer for ventilator.
- Wide range of configurations enabling to meet caring staffs various needs.
- Include Drawer for ventilator
- Include Arms for patient monitor.
- Include single or Double IV dropper& IV Fluids holder.
- Include one drawers with shelf.
- Include one Mobile console independent shelf.
- Adjustable height for shelves and drawer, Horizontal movement and rotating 360 degree, load bearing ability 400N at least
- Hanger for O2 flowmeter and suction horizontal rail for suction bottle sphygmic manometer and others
- Includes ceiling structure and intermediate fixation.








CROSS SECTION








CEILING BRIDGE


Different sizes for different uses



Optional Accessories




IV HOLDER DOUBLE DRAWER









MEDIA BRIDGE U SHAPED 3-SIDED

- Heavy duty 3 sided media bridge U shaped.
- Smooth edge extruded Aluminum Pendant arms and pendant box, Designed, certified and manufactured in Germany exclusive for IHMS .FZC.
- Coated by a special German Anti-Bacterial "IGP DuraCare" Swaziland painting.
- Supplied and installed with Greggersen Gas Outlet- German origin, for any requested type (DIN, BS, AFNOR) Comply DIN EN7396, HTM-02 with ISO color code.
- Supplied and installed with any requested type BS, German, EU, USA or any international Electrical Socket by using "Shneider" or Legrand sockets.
- Divided in Four segregated compartments (two for electrical and two for medical gases equipment)
 with optional possibility to install Gases and electrical in the Back and Front of the Bridge
- Medical gas compartment segregated up to supply connecting point with access on back side thanks to clipped covers to ease installation and maintenance.
- Piping and pre-wiring comply EU Standard near the services and installation side.
- Direct low and extra low voltage connected by clipping.
- Automatic system for covers everything inside.
- Electrical devices secured in the back of the trucking, which allow an easy opening of the cover.
- Enables biomedical devices fixation for connecting equipment, mobile console shelf, mobile console shelf load bearing ability drawer for ventilator.
- Wide range of configurations enabling to meet caring staffs various needs.
- Include Drawer for ventilator.
- Include Arms for patient monitor.
- Include single or Double IV droppers & IV Fluids holders as requested.
- Include drawers with shelf as requested.
- Include Mobile console independent shelves as requested.
- Adjustable height for shelves and drawers, Horizontal movement and rotating 360 degree, load bearing ability 400N at least
- Hanger for O2 flowmeter and suction horizontal rail for suction bottle sphygmic manometer and others
- Includes ceiling structure and intermediate fixation.

